703-761-2376

S/N 09/338,045

Docket: GB919980092US1

## IN THE CLAIMS:

## Please revise the claims to read as follows:

1-30. (Canceled)

SUB CIT

31. (Currently Amended) A method as claimed in claim 30 further comprising: A method of managing an object in a thread stack based garbage collected virtual machine, said method comprising:

storing an object data structure in the thread stack comprising a reference to the

object and a reference to a previously stored object data structure in the stack, whereby the

object data structure and the previously stored object data structure form a root set of data

object structures;

linking the object data structure to the previously stored object data structure;
storing a variable pointing to the previously stored object data structure at the top of the stack;

using the variable when storing a new object data structure; and updating the variable with the new object data structure reference.

32. (Previously Added) A method as claimed in claim 31 further comprising:
saving the variable pointer;
storing the object data structure;
updating the variable with the reference to the latest stored object data structure;
performing the process; and
restoring the stack pointer.

MCGINN & GIBB, PLLC

S/N 09/338,045

Docket: GB919980092US1

33-37. (Canceled)

38. (New) A method of garbage collecting memory, said memory having objects, said objects having object references in a thread stack, said method comprising:

retrieving an object pointer structure from the thread stack;

extracting from the object pointer structure, a reference to its corresponding object and a reference to a hext object pointer structure;

performing said retrieving and said extracting with respect to a next, subsequent and last object pointer structures, whereby the retrieved object references identify a root set of objects within the memory; and

reclaiming the memory not used by the root set of objects.

- 39. (New) The method of claim 38, Kurther comprising:
- compacting the root set of objects so that they are contiguous in memory and updating all object pointers and references in the thread stack.
- 40. (New) A method of garbage collecting methory, said memory having objects, said objects having object references in a thread stack,\said method comprising:

storing object pointer structures in the thread stack, each object pointer comprising a reference to an object and a reference to a subsequent object pointer in the thread stack such that the object pointer structures are a linked list and identify a root set of objects;

identifying all objects referenced directly or indirectly by the root set objects; and reclaiming the memory space not used by the identified objects.



S/N 09/338,045

04/14/2003 19:16

Docket: GB919980092US1

41. (New) The method of claim 40, further comprising: storing a variable referencing to the last stored object pointer; using the variable when storing a new object pointer; and updating the variable with the new object pointer reference.

42. (New) The method of claim 40, further comprising: compacting the identified set of objects so that they are contiguous and updating all

object references in the stack.